INDEX.[1]

Page.

Acerophagus ... 574
citrinus ... 578
coccois ... 561, 575, 576
erii ... 577
gutierreziae ... 577
texanus ... 576
Acestrorhamphus hepsetus ... 406
Achaeopsis suluensis ... 535
superciliaris ... 535
Achaeus japonicus ... 528
villosus ... 528
Achirus jenynsi ... 413
lineatus ... 413
Achorutes armatus ... 491, 492, 493
bengtssoni ... 490
boletivorus ... 491, 492, 493
brevispinus ... 482
copiosus ... 480
dubius ... 487
var. concolor ... 487
frigidus ... 486
guthriei ... 489, 490
harveyi ... 486
humi ... 487
humicola ... 489, 496
lapponicus ... 483
longispinus ... 480, 489
macgillivrayi ... 488
maritimus ... 503
marmoratus ... 491, 492
maturus ... 481
murorum ... 479
muscorum ... 508
nivicola ... 482, 484
packardi ... 482
pratorum ... 491, 493
pseudarmatus ... 490
purpurescens ... 488
schneideri ... 480
(Schöttella) glasgowi ... 494
uniunguiculatus ... 494
schotti ... 481
sigillatus ... 490
socialis ... 484, 486
spinifer ... 484, 485
texensis ... 492
tigrina ... 480
tullbergi ... 487
var. concolor ... 487
uniunguiculatus ... 494
viaticus ... 489
Achorutinae, North American collembolous insects of the subfamily ... 477

Page.

Acmana ... 384
apicioides ... 384
paulina ... 384
Aenasioidea ... 579
kermicola ... 583
latiscapus ... 580, 584
pulchella ... 580
tenuicornis ... 581
Aggustiana fragilalis ... 334
guarda ... 334
intermedia ... 334
libitina ... 334
limaea ... 334, 335
mecyanalis ... 334
mox ... 334
nigripalpis ... 334
undilinea ... 334
Agiaonice ... 367
snelleni ... 367
Agonopsis asperoculis ... 403, 409
Alausa coerulea ... 460
"Albatross", fishes collected by the steamer, during 1888, on the voyage through the Straits of Magellan ... 401
Alinza banianoides ... 393
cumana ... 393
discessalis ... 393
Alogonia ... 279
perissalis ... 280
Alosa pectinata ... 405
Anepischetos abscisalis ... 389
andrapana ... 390
bipartita ... 389
calistalis ... 390
castricalis ... 390
crambalis ... 389
degesalis ... 390
divergens ... 390
evanalis ... 390
freija ... 390
fufialis ... 390
gaudialis ... 390
gozama ... 390
hicetasalis ... 390
indentata ... 390
lactiferalis ... 391
lipara ... 390
livia ... 390
lividalis ... 389
loxo ... 390
mactatalis ... 389
minualis ... 389
parancara ... 390
perialis ... 390

[1] A specially prepared index accompanies Maurice C. Hall's paper on Nematode Parasites of Mammals of the orders Rodentia, Lagomorpha, and Hyracoidea (this volume, pp. 1–238), and therefore the titles in that paper are omitted from this index.

Page.

Anepischetos porrectalis 389
securalis 389
tepecalis 390
tucumanalis 391
variabilis 390
veltalis 390
violealis 390
Anoura gibbosa 508
magna 510
maritima 503
muscorum 508
sextuberculata 508
Antilibinia gilloloensis 537
smithii 538
Anura gibbosa 508
gigantea 509
muscorum 508
Anurida amorita 505
granaria 506
maritima 503, 504
tullbergi 504
Aphycopsis 585
australiensis 585, 586
Aphycus, revision of the parasitic hymenopterous insects of the genus 561
alberti 633
albiclavatus 561
albicornis 594
albopleuralis 612
amoenus 562, 638
angelicus 561, 570
annulipes 624
apicalis 561, 588, 595
brunneus 632
californicus 622
ceroplastis 625
chrysopae 561
claviger 620
cockerelli 604
coquilletti 607
dactylopii 561
eriococci 631
eruptor 628
flaviceps 582
flavus 634
fuscipennis 597
hederaceus 562, 632
howardi 638
immaculatus 638
johnsoni 602
kingi 613
lecanii 596
lichtensiae 615
lounsburyi 610
luteolus 636
maculipennis 593
maculipes 621
mayri 592
melanostomatus 608
mexicanus 627
niger 561
nitens 568, 632
oaxacae 624
oregonensis 592, 637
philippinae 568, 634

Page.

Aphycus physokermis 606
pulvinariae 618
punctipes 561, 568, 612
rileyi 600, 603
rusti 617
schwarzi 599
similis 605
stomachosus 630
subfasciatus 601
terryi 561, 563
texanus 561
townsendi 561
unicolor 561
Apustis 272
sabulosa 273
Argania albimacula 305
pilosa 305
Ariphrades plumigera 314
setula 314
Aristaria? anteros 306
apicata 322
bleptinalis 307
bocantis 306
cellulalis 306
choerilus 306
conspicua 306
curvilinea 306
dissona 306
faustitas 306
furrina 306
mayalis 306
pholoe 306
picatalis 310
theroalis 306
trinitalis 306
Arrade 278
erebusalis 278
juba 278
linecites 279
monaeses 278
Artiloxis 392
vitiosa 392
Aspideretes beecheri 644
foveatus 644
lancensis 643, 646
Aspidophorus chiloensis 411
Astyanax rutilus 405
Astymachus japonicus 586
Asylaea inflexa 398
Atherina laticlavia 463, 465
microlepidota 463, 464
regia 465
Atherinopsis microlepidota 463
regius 463
Athurmodes spreta 311
Atopomorpha 337
singularis 338
Baena antiqua 642
callosa 643
hatcheri 641, 643
hayi 641, 643
marshi 643
riparia 642
Basilichtys jordani 466
microlepidota 464
octavius 466

	Page.
Basilichtys regillus	466
Berocynta simplex	282
Bertula excelsalis	398
Betousa divisalis	304
Bisas distigmula	398
Bleptina acastusalis	354
acutusalis	398
albidiscalis	354
arocalis	354
athusalis	356
atymnusalis	354
baracoana	354
bogesalis	299, 353
caepiosalis	290
caradrinalis	353
carlona	355
ceusalis	290
clara	354
confusalis	353
dejecta	357
dliopis	354
eminens	358
fadusalis	351
fasciata	354
flesialis	352
hydrillalis	354
infausta	354
lasaea	354, 357
latona	357, 358
malia	354
menalcasalis	354
menippusalis	324
metopealis	353
muricolor	355
niveigutta	358
obscura	354
olearos	354
olivescens	354, 358
penicillalis	344
pentheusalis	354
phanasgalis	354
philetesalis	354
phocionalis	293
pithosalis	354
pollesalis	354
priassalis	353
prunnescens	348
pudesta	356
responsalis	325
subjecta	354
syrnialis	398
thisbesalis	354
ulricusalis	354
virbiusalis	348
vultura	356
zentium	354
Bleptiphora	721
laurentia	272
Boana semialba	385
Bocana malis	325
marpesia	282
pagasusalis	345
Boletobia annuligera	397
estella	397
funera	396
juno	397
Boletobia micraster	397
nivosita	396
pygmaea	397
tenebrosa	397
turpis	397
variata	397
Bolica armata	321
Bomolocha	386
abscondalis	387
acclinalis	387
ammonia	387
andraca	387
androna	387
angitia	387
chalsa	388
claxalis	388
coatalis	388
columbiata	368
conditalis	387
dasialis	387
dodra	388
drucealis	387
ducalis	388
exoletalis	386, 387
exoticalis	387
frigida	388
glumalis	388
guenealis	388
lanaea	387
latalis	387
locusta	387
megaspila	783
miranda	388
morelosalis	389
pacatalis	387
penumbralis	388
popayana	388
purpuralis	387
subidalis	387
transversalis	388
turalis	388
umbralis	387
uvalis	388
valkeralis	388
vetustalis	387
Boniana niveilinea	314
Bostrycharia	395
Bothriocraera	567
flavipes	568
Botothenia cyaneobrancha	426
Brachyslus dilatatus	499
Bradunia costigutta	298
guanabana	298
improba	297, 298
macella	297
Brevoortia tyrannus	405
Bucinna	304
obagitalis	304
Burdettia	364
lignealis	364
rivalis	364
Cailiclinus geniguttatus	468
Cambogia albopunctata	398
Campometra? peonza	399
Capis curvata	373
Capnodes? argina	375

	Page.
Capnodes? basalis	360
diffidens	360
lappa	375
Carillade harmonia	392
Carteris	360
anticlea	360
incana	360
lineata	360
oculatalis	360
proliferalis	360
Catulus canescens	420
chilensis	457
Chabora	318
inoa	318
tauralis	318
tepetlalis	319
Charmodia vectis	343
Chirconia	319
aquilalis	320
convergens	320
Chorilla japonica	549
longipes	549
sphenocarcinoides	548
Chytolita	343
Citharichthys microstomus	412
Cladonia	363
mocha	363
Clargia	317
benema	317
Cloniatarphes	287
carunalis	288
Clupanodon aureus	405
Clupea arcuata	405
notacanthus	400, 461
tyrannus	405
Coelorhynchus chilensis	403, 473
commutabilis	475
fasciatus	473, 476
patagoniae	403, 475
Cola	317
mabis	317
Collembolous insects of the subfamilies Achorutinae, Neanurinae, and Podurinae	477
Compsenia	274
area	275
catagrapha	275
furtiva	275
gracillima	275
insularis	275
plumbea	275
Corynitis pencillalis	398
Coryphaenoides anguliceps	472
ariommus	403, 471
capito	472
latinasutus	472
rudis	471
Coscaga angulata	310
Crabs of the families Inachidæ and Parthenopidæ, new species of	527
Crabs (Osachila), three species of, from the eastern coast of North America	647
Cryptopodia angulata cippifer	559
angusta	559
Cyclopteryx	365
filiferalis	366
macrops	333
observalis	366
patricialis	366
Cyrtomaia echinata	533
goodridgei	533
horrida	532
Dectocraspedon	328
braziliensis	328
latefasciata	329
obtusalis	329
Dercetis	335
iphias	336
perdicens	336
polyidus	335
vitrea	335
Diastreptoneura distorta	308
Dida cidaria	391
Diodines	373
trilinea	373
Diplodira	280
jamaicalis	280
Ditrogoptera	206
triiineata	206
Dogninades	308
?Drepanopalpia cassida	399
polycyma	350
Drobeta debora	318
yeba	318
Drucuma	322
Dules auriga	408
Dusponera	299
fannia	299
semifalcata	299
Dysglyptogona dissimilis	393
Dysperalis illocata	301
Egnasia albipunctata	365
Eleginops maclovina	424, 467
Engraulis japonicus	461
mordax	461
ringens	461
Epiphanis esperanzalis	287
Epistrema	361
glaucosticta	361
ora	361
sabularea	361
Epizeuxis æmula	359
anser	360
lituralis	322
lubricalis	360
oaxacalis	359
terrosalis	359
Erosia niveinotata	366
Ethmidium	458
coerulea	460
notacanthoides	458, 461
Etmopterus granulosus	420
Euchromalia	277
Eutelia apicalis	318
Fishes collected by the steamer "Albatross" during 1888 on the voyage through the Straits of Magellan	401
Folsom, Justus W., North American collembolous insects of the subfamilies Achorutinae, Neanurinae, and Podurinae	477
Fossil turtles from the Lance formation of Wyoming, description of two new species of	641
Friesea caldaria	499
clavista	500
Gaala dispunctalis	337

Page.

Galaxias attenuatus 421, 422
maculatus 421, 422
Genypterus blacodes 409
chilensis 409
Gilmore, Charles W., Description of two new species of fossil turtles from the Lance formation of Wyoming 641
Girtesma 273
messala 273
Gizama 344
bronsonalis 345
cuculalis 345
midasalis 345
undilinealis 345
Glenopteris herbidalis 380
oculata 380
ornata 380
Gobiesox marmoratus 425
Goednes 331
abnormalis 331
Gorosina ampla 310
Gustiana 337
subflexata 337
Hall, Maurice C., Nematode parasites of mammals of the orders Rodentia, Lagomorpha, and Hyracoidea 1
Haloporphyrus australis 425
Haplochiton taeniatus 422
zebra 422
Harpagifer bispinis 424
Herminia asteralis 325
baresalis 344
biferalis 352
disjectalis 354
figuralis 337
gyasalis 312
moenalis 384
morbidalis 343
pyramusalis 312
thaumasalis 343
Herminodes? taltula 321
venosa 363
Heterogramma 209
circumflexalis 209
micculalis 209
terminalis 209
Hippoglossina macrops 424
Homoptera ditata 374
fimbripes 374
paupera 374
Hormisa absorptalis 337
Hormoschita pagenstecheri 373
Hyastenus auctus 543
biformis 545, 546
calvarius 546
diacanthus 542
fraterculus 546
hilgendorfi 544
orbis 544
oryx 548
planasius 546
scrobiculatus 547
spinosus 543
tinaktensus 547
trispinosus 542

Page.

Hyastenus tuberculosus 543
verrucosipes 545
Hyboea scabra 386
Hydrillodes totafusca 305
Hydropodura aquatica 514, 515
Hymenopterous insects of the genus Aphycus Mayr, revision of the parasitic, with notice of some related genera 561
Hypena 386
amethystalis 367
bergesalis 366
bisignalis 325
bolivianalis 388
braziliensis 364
cataleuca 385
concinnulalis 398
eductalis 386
effectalis 388
franciscalis 388
fuscipennis 398
internalis 398
leucoptera 388
lua 332
lyse 388
melaleuca 388
murina 398
pictalis 388
pigralis 388
polybealis 398
pyralis 398
sabbasalis 295
scissalis 389
scierialis 366
securalis 388
suavalis 391
thontes 366
umbriferalis 388
uniformalis 388
uruguayalis 388
vittula 388
zarabena 366
Hypeninæ, American moths of the subfamily, a generic revision of, with descriptions of new genera and species 259
Hyponodes 278
albistrigalis 278
apis 265
dubia 278
insciens 278
lysizona 343
modesta 278
Hypenopsis fivalis 301
macula 301
musalis 302
Hypenula complectalis 352
deleona 352
miriam 353
opacalis 352
Hyphypena 272
bipunctalis 272
Hypœchana 266
fuliginosa 267
Hypogastrura aquatica 514
armata 491
frigida 486
lapponica 483

	Page.
Hypogastrura socialis	484
viatica	480
Hyponeuma leucanioides	321
Hyracoidea, Rodentia, and Lagomorpha, nematode parasites of mammals of the orders.	1
Idiacanthus ferox	462
retrodorsalis	403, 462
Ilisha flavipennis	406
Inachidæ and Parthenopidæ, new species of crabs of the families	527
Insects, North American collembolous, of the subfamilies Achorutinæ, Neanurinæ, and Podurinæ	477
Insects of the genus Aphycus Mayr, revision of the parasitic hymenopterous, with notice of some related genera	561
Ipnea marina	372
Ipnista	372
Laemonema barbatulum	470
latifrons	470
melanurum	470
multiradiata	403
multiradiatum	469
Lagomorpha, Rodentia, and Hyracoidea, nematode parasites of mammals of the orders	1
Lance formation of Wyoming, two new species of fossil turtles from the	641
Lascoria	268
albibasalis	288
albipunctalis	288
antigone	289
anxa	268
arenosa	271
barbaralis	268
cristata	270
curta	268
dulcena	268
fassliata	268
laurentia	289
leucorabdota	268
manes	268
maronialis	270
naupalis	271
nivea	269
paulensis	268
phormisalis	268
Lepteria	301
parallela	301
Leptoctenista dubia	364
Leptomithrax edwardsii	555
sinensis	555, 556
tuberculatus	556
Leucania cicatrix	314
Leucatomis	359
incondita	359
Licha undilinealis	314
Lipura maritima	503
Lithopoma	379
Lomanaltes laetulus	386
Lophoditta	281
perspicillaris	281
Lophophora clanymoides	343
evan	344
Lotella marginata	425
Luberta	320
nymbisalis	320
Lutogonia	332
Lycengraulis grosidens	405
Lytogonia simplex	332
Macristis	276
geminipunctalis	276, 277
pharosalis	277
Madopa firmalis	398
Maja bisarmata	554
linapacanensis	553
miserii	553
suluensis	552, 554
Mamerthes aonia	309
croceilinea	309
gangaba	309
lycambes	309
nigriilinea	309
orionalis	309
terminalis	309
Mammals, nematode parasites of, of the orders Rodentia, Lagomorpha, and Hyracoidea	1
Margites buguba	291
Maronia	273
celadon	273
Mastigia	321
Mastigophora marima	288
Mastigophorus	288
augustus	289
demissalis	288
evadnealis	288
jamaicalis	290
latipennis	288
majoralis	290
mallophora	325
nomius	289
pandes	324
parra	288
pasithea	343
Mastixis aeneas	327
albilimbata	326
angitia	326
anthores	325
aonia	325
apainthes	326
aspisalis	325
castronalis	327
chloe	325
comptulalis	325
dukinfieldi	326
galealis	326
hippocoon	326
hyades	326
infuscata	326
languida	326
lineata	326
lysaniax	325, 326
macedo	325
plumalis	326
stalemusalis	325
tessellata	326
turrialbensis	326
Masty;ophorus epitusalis	322
Matiloxis	380
abarusalis	381
cubalis	381
darconis	381
defecta	381
guianalis	382

	Page.
Matiloxis jalapena	381
josealis	381
lilaceata	381
melicerta	381
nezeila	381
rufinalis	381
zoum	381
Megachyta	322
acutipennis	317
flavipunctatalis	399
Megatomis acidalialis	338
acuminatalis	339
anna	339
anthippe	339
antonia	339
anyte	339
auginsalis	338
bidentalis	339
brevilinealis	339
compta	339
cyanolepia	399
euphronialis	339
ferrilinealis	354
hermia	340
judicatalis	368
leosalis	338
lyceus	339
lysippusalis	338
lysizona	339
macarialis	338
mago	339
mikani	339
mimalis	338
moribundalis	338
nealcesalis	318
otisalis	339
remulcens	339
semiothisa	340
styrusalis	339
submarcata	340
terricola	339
trinidalis	339
Melanomma	266
auricinctaria	266
Menidia alburnus	423
bonariensis	406
jordani	466
mauliana	465
regia	463, 465
regilus	466
Menopsimus crambiformis	278
Merluccius gayi	417
merluccius	417
Metalectra	374
agathia	375
aglaia	375
agriodes	375
analis	376
ardesiaca	375
astylos	375
carneomacula	374
castrensis	3876
ceyx	375
charopus	375
contactoides	375
corcyra	378

	Page.
Metalectra crocelpalpis	375
didyma	376
diffusa	375
diversata	376
elongata	375
furva	375
geminicincta	378
indecidens	374
lithostis	378
lotis	375
marginata	375
monopais	376
nigelius	375
nireus	375
pamela	375
pandana	375
paralappa	376
parviquadrata	375
picta	375, 378
praecisalis	374
punctilinea	374
roseitincta	379
safina	379
schizopila	375
tanamensis	377
temperata	377
tristigma	376
verructa	375
viridescens	376
viridis	375
vividior	376
ypsilon	374
Metallata variabilis	398
Micramma	303
candalis	303
crocicosta	303, 394
Mindora tortriciformis	398
Moletobia marginata	397
Montevideo, Uruguay, and Tome, Chile, fishes collected by the "Albatross" between	401
Moths of the subfamily Hypeninae, a generic revision of the American, with descriptions of new genera and species	259
Mudernoblenna olivacea	419
Mullus barbatus	408
Mursa calisalis	368
Myxine australis	419
Naxioides romboni	549
Neanura gigantea	509
magna	510
muscorum	508, 509
ornata	511
quadrioculata	512
serrata	511
Neanurinae, North American collembolous insects of the family	477
Nematode parasites of mammals of the orders Rodentia, Lagomorpha, and Hyracoidea	1
Neoherminia	350
isenenias	351
lojanalis	351
nigridiscatalis	351
santiagonsis	351
Neopalthis	328
madates	328

Page.

Neoptista lorna 302
villalis 302
Nezumia pudens 403, 472
Nicetas annon 311
antoniaiis 311
bathalis 311
biciliata 311
lycon 311
panamensis 311
Nodaria griseirena 305
pachypalpia 351
Notothenia 425
acuta 426, 448, 449
angustata 433
antarctica 433
arguta 433
brevicauda 445, 447, 448
canina 455
coriiceps 426, 437
cornucola 426, 433, 436, 437, 439, 441
cyanobranchia 445
elegans 426, 427, 435
gilberti 403, 430
hassleriana 432
jordani 403, 443
kerlandreae 439
latifrons 403, 427, 434
longicauda 403, 445, 450
longipes 426, 427, 433, 441, 444, 446, 449, 451, 453, 455
macrocephala 426, 427, 431, 233, 434
magellanica 433
maoriensis 433
marginata 436
modesta 436, 437, 438
porteri 432
ramsayi 443
sima 426, 433, 437, 438, 439, 442
squamiceps 427, 441
squamifrons 452, 453
tessellata 426, 433, 442, 444, 448, 455
trigramma 451
veitchii 448, 450
virgata 436
Nyctipolia incondita 291
Ocalaria 333
dioptica 333
guarana 333
oculata 333
pavina 333
pavo 333
Odontella ewingi 502
thauma 502
Ogoes 383
albipuncta 383
Oidemastis 323
caliginosa 323
Omiodes tortola 318
Ommatochila 361
chorrera 362
crassipalpis 362
latipalpis 361
plumbealis 361
santucca 363
stenula 362
Ophidium blancoides 469
maculatum 469

Page.

Opotura erinusalis 353
Oroscopa belus 394
calverti 394
concha 394
cordobensis 395
delicata 394
electrona 394
hacupha 394
noctifera 394
privigna 394
punctata 394
Orsa multusta 374
Osachila antillensis 647, 650
semilevis 647, 652
tuberosa 647, 649, 650
Otaces 279
lineata 279
mutilum 279
Palthis 292
aeacalis 292
agrtoeralis 292
angustipennis 293
artenteicincta 293
asopialis 292
auca 292
bizialis 292
calcabilis 293
calcalis 292
euboealis 292
incuriosa 293
insignalis 294
hieronymus 292
lineata 292
misantlalis 294
mophisalis 292
obliqualis 293
oconoguensis 293
orasuisalis 398
serapealis 293
spectalis 294
submarginata 292
Palthisomis 344
Panarenia 303
subhirsuta 303
Paracroma 279
zamora 279
Paraculax tarsiplumalis 343
Paralichthys adspersus 468
brasiliensis 411
Paramimetica imitatrix 368
Paramithrax (Leptomithrax) compressipes 1
Paranura caeca 507
Parasites, nematode, of mammals of the orders Rodentia, Lagomorpha, and Hyracoidea 1
Parasitic hymenopterous insects of the genus Aphycus Mayr, revision of the, with notice of some related genera 561
Parthenope (Pseudolambrus) parva 557, 558
(Rhinolambrus) cybelis 557
longispina 558
rudis 556
Parthenopidæ and Inachidæ, new species of crabs of the families 527
Peliala 366
andria 366
coeruleopicta 367
covitalis 367

Page.

Peliala demonalis ... 367
hemonalis ... 366
lenfusculalis ... 366
leuctra ... 366, 367
lollia ... 366
munda ... 366
peruvialis ... 367
pintica ... 366
tenebrosa ... 366
tossalis ... 367
xenarealis ... 366
Peltinia nodulosa ... 536
sublimis ... 536
Percophis brasiliensis ... 417
Periphrage barbatula ... 322
Perona signata ... 408
Pessida interlineata ... 314
Phaeochlaena cuprea ... 395
Phalaenophana eudoreallis ... 312
oppialis ... 312
rurigena ... 312
Phalaenostola ... 332
larentioides ... 332
Phalangipus filiformis ... 551
herbstii ... 551, 552
retusus ... 552
Philometra ... 335
longilabris ... 335
Phlyctaina irrigualis ... 305
Physula acutalis ... 398
albipunctilla ... 295
albirenalis ... 398
anchisa ... 295
apicalis ... 398
aristina ... 295, 296
cristina ... 296
ecuadoralis ... 297
eupithecialis ... 282
herminialis ... 398
inscitalis ... 296
margotalis ... 295
migralis ... 295
novitata ... 399
paganacalis ... 296
palindia ... 347
peckii ... 398
rona ... 295
tristigalis ... 398
variegalis ... 398
Physulodes ... 282
Pinguipes fasciatus ... 409
Platea insignis ... 417
Plathypena ... 386
Platydia abditalis ... 337
Platymia alcocki ... 530
bartschi ... 529, 530
fimbriata ... 531
remifera ... 530
wyville-thomsoni ... 530
Plusiodonta anartoides ... 320
Podura aquatica ... 479, 514, 515
armata ... 491
granulata ... 514, 515
humicola ... 496
nivicola ... 484
Podurinae, North American collembolous insects of the subfamily ... 477

Page.

Poena ... 363
albomarginata ... 364
hirsuta ... 364
porrectalis ... 364
Poenomia berthalis ... 346
frigidalis ... 346
hiempsal ... 346
maculata ... 346
turpis ... 346
Porichthys porosus ... 468
Porosana juanalis ... 312
mieralis ... 313
uruca ... 312
Prionotus punctatus ... 409
Pristigaster flavipennis ... 406
Prolatilus jugularis ... 467
Prorivula ... 278
leucosticta ... 278
rufescens ... 278
Psammobatis rudis ... 404, 421
Pseudachorutes aureofasciatus ... 500
complexus ... 501
lunatus ... 501
Pseudaglossa ... 360
Pseudaphritis gobio ... 423
Pseudaphycus ... 569
angelicus ... 572, 573
graminicola ... 570
prosopidis ... 571
ryani ... 574
websteri ... 572
Pseudarista ... 286
geldersi ... 287
ragasusalis ... 287
spiosalis ... 287
Pseudococcobius ... 563
ehrhorni ... 564
terryi ... 565
Pterhemia ameriola ... 314
exscissa ... 314
mutilatalis ... 314
otusalis ... 314
schausialis ... 314
uncinalis ... 314
Pteroprista metallica ... 304
Pugettia leytensis ... 539
mindanaoensis ... 538
minor ... 539
Pyralis? subcordatalis ... 312
Pyrgion ... 345
menippusalis ... 346
repanda ... 346
Raja majellanica ... 421
Rathbun, Mary J., Description of three species of crabs (Osachila) from the eastern coast of North America ... 647
New species of crabs of the families Inachidæ and Parthenopidæ ... 527
Rejectaria amicalis ... 347
antorides ... 347
anysis ... 347
aratus ... 347
arenacea ... 348
atrax ... 347
carapa ... 348

Page.

Rejectaria chisena 347
cocytalis 346, 347
craftsalis 349
cucutalis 348
erebalis 347
fulvibrunnea 348
funebris 347
gallinalis 348
incola 348
lineata 348
lysandria 347
lyse 347
maera 347
magas 347
modestalis 347
niciasalis 347
nigripunctata 347
nucina 348
pallescens 348
parvipunctalis 348
paulosa 347
pharusalis 347
rosimonalis 347
splendida 347
thecialis 347
villosa 347
zenos 349
Renia accola 315
bendialis 315
bipunctalis 315
clavalis 315
decurialis 315
discoloralis 315
fallacialis 315
fimbrialis 316
lytocalis 341
morosalis 316
orizabalis 315
orthosialis 315
punctinalis 315
rhamphialis 315
rhetusalis 315
testacealis 315
turpis 315
vinasalis 315
Rhaesena rubromarginata 380
Rhazunda 276
distributa 276
Rivula 276
latipes 276
mandane 276
orobena 276
pusilla 276
rufescens 278
sericealis 276
Rodentia, Lagomorpha, and Hyracoidea, nematode parasites of mammals of the orders 1
Salia 380
Salilota australis 425
Santiaxis 333
copima 334
Sardinella fuegensis 457
Schaus, William, A generic revision of the American moths of the subfamily Hypeninae, with descriptions of new genera and species 259

Page.

Schiraces mopsus 395, 396
mortua 396
Schotella uniunguiculata 494
Schoturus nivicola 482
Scisena gilberti 467
(ophioscion) adusta 407
Scopifera 323
antelia 324
antorides 324
falsirenalis 324
lycagusalis 324
lygdus 324
menippusalis 324
mirabilis 324, 325
phrygialis 324
poasalis 324
Scopula? comptalis 368
Scutirodes 265
Sebastodes chilensis 467
jenynsi 467
? Simplicia flavipunctulata 399
Sitophora? sueralis 306
vesiculalis 305
Sorygaza 365
arbela 365
argandina 365
armasata 365
didymata 365
mardis 365
marica 368
ramsdeni 365
sapota 365
Sotigena 383
dulcis 383
notodontoides 383
rictalis 383
Sphenocarcinus auritus 540
carbunculus 542
luzonicus 539, 549
nodosus 541
stimpsoni 540
Squalus fernandinus 420
sucklii 420
Stimmia scoria 374
Stomias atriventer 462
Straits of Magellan, fishes collected by the "Albatross" on the voyage through the ... 401
Strathocles 350
albipulla 350
imitata 350
parvipulla 350
punctiuncula 350
ribbei 350
Sygnathus blainvillianus 423
Symphurus adspersus 411
atricaudus 416
atrimentatus 416
bergi 403, 414
brasiliensis 414
elongatus 416
fasciolaris 416
jenynsi 414
leei 416
plagusia 414, 416
tessellatus 414
williamsi 417
Synalissa tempaca 398

Page.

Synomera ... 368
alcis ... 368
corazalis ... 371
crafti ... 369
cyllarus ... 368
francalis ... 368
hylonome ... 369
isthmialis ... 370
pedrosalis ... 371
procrustes ... 370, 371
tanga ... 370
tatalga ... 372
Taphonia ... 329
griseirena ... 330
lysis ... 330
muscosa ... 330
peonis ... 330
semifasciata ... 331
Tarache violetta ... 277
Tarista ... 341
albiapicalis ... 342
lycaon ... 342
lydia ... 342
morosa ... 341
nigrirenalis ... 341
Tendarba lineosa ... 314
Tetanolita ... 307
borgesalis ... 308
hermes ... 308
lixalis ... 308
nisosalis ... 308
noiualis ... 308
Thalpochares lagore ... 361
mundula ... 361
Theotinus ... 281
virbiusalis ... 281
Thescelus insiliens ... 642
Thompson, Will F., Fishes collected by the United States Bureau of Fisheries steamer "Albatross" during 1888, between Montevideo, Uruguay, and Tome, Chile, on the voyage through the Straits of Magellan ... 401
Thursania ... 282
aristarioides ... 282
chiriqualis ... 285
costigutta ... 282
decocta ... 284
decorata ... 282
espiritualis ... 283
grandirenalis ... 286
hobsonalis ... 284, 285
lycas ... 282
lycimnia ... 282
miaralis ... 285
ordenalis ... 282
renilinealis ... 283

Page.

Thursania servilis ... 282
tigurialis ... 286
voodoalis ... 284
Thyrsites atun ... 424
Thysanopsetta naresii ... 413
Tibricana gnoma ... 385
xanthialis ... 385
Timberlake, P. H., Revision of the parasitic hymenopterous insects of the genus Aphycus Mayr, with notice of some related genera ... 561
Tineocephala ... 313
judis ... 313
Tome, Chile, fishes collected by the "Albatross" between Montevideo, Uruguay, and. 401
Tomyris nigropuncta ... 383
syllificalis ... 383
Tortricodes ... 267
alucitalis ... 267
aon ... 267
majoralis ... 267
nigrirena ... 267
orneodalis ... 267
pteropheralis ... 267
Trachinotus goodei ... 407
Trachodopalpus ... 360
cinereus ... 360
Trachurus picturatus ... 466
Trachysmatis ... 274
ignobilis ... 274
mogia ... 274
Trauaxa obliqualis ... 332
Turtles, fossil, two new species of, from the Lance formation of Wyoming ... 641
Upothenia ... 317
Uzinia hyas ... 382
Uzomathis ... 300
dissensa ... 300
Wyoming, Lance formation of, description of two new species of fossil turtles from ... 641
Xenylla baconae ... 496
gracilis ... 497
humicola ... 496
maritima ... 496, 498
welchi ... 497
Zagorista ... 318
debora ... 318
Zanclognatha ... 342
bicolor ... 398
bipunctata ... 399
denisi ... 338
vanica ... 398
Zorothis dissimilis ... 392
zacualpana ... 391
Zorzines plumula ... 396

NOV 27 1916